
References

Adolphs R, Cahill L, Schul R, Babinsky R (1997) Impaired declarative memory for emotional material following bilateral amygdala damage in humans. *Learn Mem* 4: 291-300.

Aggleton JP (1992) The functional effects of amygdala lesions in humans: a comparison with findings from monkeys. In: *The amygdala: neurobiological aspects of emotion memory and mental dysfunction*. (Aggleton JP, ed), pp 485-503. New York: Wiley-Liss.

Aggleton JP, Shaw C (1996) Amnesia and recognition memory: a reanalysis of psychometric data. *Neuropsychologia* 34: 51-62.

Aggleton JP, Brown MW (1999) Episodic memory, amnesia, and the hippocampal-anterior thalamic axis. *Behav Brain Sci* 22: 425-489.

Aggleton JP, Nicol RM, Huston AE, Fairbairn AF (1988) The performance of amnesic subjects on tests of experimental amnesia in animals: Delayed matching-to-sample and concurrent learning. *Neuropsychologia* 26: 265-272.

Aguirre GK, D'Esposito M (1997) Environmental knowledge is subserved by separable dorsal/ventral neural areas. *J Neurosci* 17: 2512-2518.

Aguirre GK, Detre J, Alsop D, D'Esposito M (1996) The parahippocampus subserves topographical learning in man. *Cereb Cortex* 6: 823-829.

Alexander JE, Porjesz B, Bauer LO, Kuperman S, Morzorati S, O'Connor SJ, Rohrbaugh J, Begleiter H, Polich J (1997) P300 hemispheric amplitude asymmetries from a visual oddball task. *Psychophysiology* 32: 467-75.

Aloisi AM, Casamenti F, Scali C, Pepeu G, Carli G (1997) Effects of novelty, pain and stress on hippocampal extracellular acetylcholine levels in male rats. *Brain Res* 748: 219-226.

Alvarez P, Squire LR, Zola-Morgan S (1995) Damage limited to the hippocampal region produces long-lasting memory impairment in monkeys. *J Neurosci* 15: 3796-3807.

Amaral DG (1999) Introduction: What is where in the medial temporal lobe? *Hippocampus* 9: 1-6.

Amaral DG, Kurtz J (1985) An analysis of the origins of the cholinergic and noncholinergic septal projections to the hippocampal formation of the rat. *J Comp Neurol* 240: 37-59.

Amaral DG, Witter MP (1989) The three-dimensional organization of the hippocampal formation: a review of anatomical data. *Neuroscience* 31: 571-591.

Andersen P, Bliss TVP, Skrede KK (1971) Lamellar organisation of hippocampal excitatory pathways. *Exp Brain Res* 13: 222-238.

Andrade A, Paradis AL, Rouquette S, Poline J-B (1999) Ambiguous results in functional neuroimaging data analysis due to covariate correlation. *NeuroImage* 10: 483-486.

Angeli SJ, Murrey EA, Mishkin M (1993) Hippocampectomized monkeys can remember one place but not two. *Neuropsychologia* 31: 1021-1030.

Ashburner J, Neelin P, Collins DL, Evans A, Friston KJ (1997) Incorporating prior knowledge into image registration. *NeuroImage* 6: 344-352.

Baddeley A (1990) *Human memory: theory and practice*. Hove UK: Lawrence Erlbaum.

Baddley A (1992) Working memory. *Science* 255: 556-559.

Baddeley AD, Warrington EK (1970) Amnesia and the distinction between long- and short-term memory. *J Verb Learn Verb Behav* 9: 176-189.

Baker SC, Rogers RD, Owen AM, Frith CD, Dolan RJ, Frackowiak RSJ, Robbins TW (1996) Neural systems engaged by planning: a PET study of the Tower of London task. *Neuropsychologia* 34: 515-526.

Barr WB, Goldberg E, Wasserstein J, Novelly RA (1990) Retrograde amnesia following unilateral temporal lobectomy. *Neuropsychologia* 28: 243-255.

Baudena P, Halgren E, Heit G, Clarke JM (1995) Intracerebral potentials to rare target and distractor auditory and visual stimuli. III. Frontal cortex. *Electroenceph Clin Neurophysiol* 94: 251-264.

Bechara A, Tranel D, Damasio H, Adolphs R, Rockland C, Damasio AR (1995) Double dissociation of conditioning and declarative knowledge relative to the amygdala and hippocampus in humans. *Science* 269: 1115-1118.

Bennett TL (1975) The electrical activity of the hippocampus and processes of attention. In: *The Hippocampus*, vol 2 (Isaacson RL, Pribram KH, eds), pp 71-97. New York: Plenum Press.

Berman KF, Ostrem JL, Randolph C, Gold J, Goldberg T, Coppola R, Carson RE, Herscovitch P, Weinberger DR (1995) Physiological activation of a cortical network during performance of the Wisconsin Card Sorting Test: a positron emission

tomography study. *Neuropsychologia* 33:1027-1046.

Berns GS, Cohen JD, Mintun MA (1997) Brain regions responsive to novelty in the absence of awareness. *Science* 276: 1272-1275.

Bloch F, Hansen WW, Packard M (1946) The nuclear induction experiment. *Phys Rev* 70: 474-485.

Bower GH (1992) How might emotions affect learning? In: *The handbook of emotion and memory: research and theory.* (Christianson S-A, ed), pp 3-31. Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.

Brewer JB, Zhao Z, Desmond JE, Glover GH, Gabrieli JDE (1998) Making memories: brain activity that predicts whether visual experiences will be remembered or forgotten. *Science* 281: 1185-1187.

Broca P (1861) Remarques sur la siege de la faculte du langage articule; suivies d'une observation d'aphemie. *Bulletin de la Societe Anatomique de Paris* 6: 330-357.

Broca P (1878) Anatomie comparee des circonvolutions cerebrales. Le grand lobe limbique at la scissure limbique dans la serie des mammiferes. *Rev Anthropol* 2: 285-498.

Brodal A (1981) *Neurological anatomy in relation to clinical medicine* 3rd ed. New York and Oxford: Oxford UP.

Brown BB (1968) Frequency and phase of hippocampal theta activity in the spontaneously behaving cat. *Electroencephalogr Clin Neurophysiol* 24: 53-62.

Brown MW, Xiang J-Z (1998) Recognition memory: neuronal substrates of the judgement of prior occurrence. *Prog Neurobiol* 55:149-189.

Brown MW, Aggleton JP (2001) Recognition memory: what are the roles of the perirhinal cortex and hippocampus? *Nature Reviews Neuroscience* 2: 51-61.

Brown MW, Wilson FAW, Riches IP (1987) Neuronal evidence that inferomedial temporal cortex is more important than hippocampus in certain processes underlying recognition memory. *Brain Res* 409: 158-162.

Buchel C, Morris J, Dolan RJ, Friston KJ (1998) Brain systems mediating aversive conditioning. *Neuron* 20: 947-957.

Bullock TH, Buzsaki G, McClune MC (1990) Coherence of compound field potentials reveals discontinuities in the CA1-subiculum of the hippocampus in freely moving rats. *Neuroscience* 38: 609-619.

Bunsey M, Eichenbaum H (1996) Conservation of hippocampal memory function in rats and humans. *Nature* 379: 255-257.

Burwell RD, Amaral DG (1998a) The perirhinal and postrhinal cortices of the rat: interconnectivity and connections with the entorhinal cortex. *J Comp Neurol* 391: 293-321.

Burwell RD, Amaral DG (1998b) Cortical afferents of the perirhinal, postrhinal and entorhinal cortices of the rat. *J Comp Neurol* 398: 179-205.

Burwell RD, Witter MP, Amaral DG (1995) Perirhinal and postrhinal cortices of the rat: a review of the neuroanatomical literature and comparison with findings from the monkey brain. *Hippocampus* 5: 390-408.

Burwell RD, Shapiro ML, O'Malley MT, Eichenbaum H (1998) Positional firing properties of perirhinal cortex neurons. *Neuroreport* 9: 3013-3018.

Buszaki G, Grastyan E, Gzopf J, Kellenyi L, Prohaska O (1981) Changes in neuronal transmission in the rat hippocampus during behaviour. *Brain Res* 225: 235-247.

Cahill L, McGaugh JL (1998) Mechanisms of emotional arousal and lasting declarative memory. *Trends Neurosci* 21: 294-299.

Cahill L, Haier RJ, Fallon J, Alkire MT, Tang C, Keator D, Wu J, McGaugh JL (1996) Amygdala activity at encoding correlated with long-term free recall of emotional information. *Proc Natl Acad Sci USA* 93: 8016-8021.

Canteras N, Swanson LW (1992) Projections of the ventral subiculum to the amygdala, septum, and hypothalamus: a PHA-L anterograde tracing study in the rat. *J Comp Neurol* 324: 180-194.

Cavada C, Company T, Tejedor J, Cruz-Rizzolo RJ, Reinoso-Suarez F (2000) The anatomical connections of the macaque monkey orbitofrontal cortex. A review. *Cereb Cortex* 10: 220-242.

Chan D, Fox NC, Scahill RI, Crum WR, Whitwell JL, Leschiner G, Rossor AM, Stevens JM, Cipolotti L, Rossor MN (2001) Patterns of temporal lobe atrophy in semantic dementia and alzheimer's disease. *Annals Neurol* (in press).

Christoff K, Gabrieli JDE (2000) The frontopolar cortex and human cognition: evidence for a rostrocaudal hierarchical organisation within the human prefrontal cortex. *Psychobiology* 28:168-186.

Cippolotti L, Shallice T, Chan D, Fox N, Scahill R, Harrison G, Stevens J, Rudge P (2001) Long-term retrograde amnesia: the crucial role of the hippocampus. *Neuropsychologia* 39: 151-172..

Clark RE, Squire LR (1998) Classical conditioning and brain systems: the role of awareness. *Science* 280: 77-81.

Cocosco CA, Kollokian V, Kwan RKS, Evans AC (1997) BrainWeb: online interface to a 3D MRI simulated brain database. *NeuroImage* 5 (4 pt 2): S 425.

Cohen NJ, Squire LR (1980) Preserved learning and retention of pattern analysing skill in amnesia: dissociation of knowing how and knowing that. *Science* 210: 207-209.

Cohen NJ, Ryan J, Hunt C, Romine L, Wszalek T, Nash C (1999) Hippocampal system and declarative (relational) memory: summarizing the data from functional neuroimaging studies. *Hippocampus* 9: 83-98.

Colombo M, Fernandez T, Nakamura K, Gross CG (1998) Functional differentiation along the anterior-posterior axis of the hippocampus in monkeys. *J Neurophysiol* 80: 1002-1005.

Constable RT, Carpentier A, Pugh K, Westerveld M, Oszunar Y, Spencer DD (2000) Investigation of the human hippocampal formation using a randomized event-related paradigm and Z-shimmed functional MRI. *NeuroImage* 12: 55-62.

Corkin S, Amaral DG, Gonzalez RG, Johnson KA, Hyman BT (1997) H.M.'s medial temporal lobe lesion: findings from magnetic resonance imaging. *J Neurosci* 17: 3964-3979.

Coull, JT, Frackowiak RSJ, Frith CD (1998) Monitoring for target objects: activation of right frontal and parietal cortices with increasing time on task. *Neuropsychologia* 36: 1325-1334.

Craik FIM, Lockhart RS (1972) Levels of processing: A framework for memory research. *J Verbal Learn Verbal Behav* 11: 671–684.

Crowne DP, Radcliffe DD (1975) Some characteristics and functional relations of the electrical activity of the primate hippocampus and a hypothesis of hippocampal function. In: *The Hippocampus*, vol 2 (Isaacson RL, Pribram KH, eds), pp 185-206. New York: Plenum Press.

Daffner KR, Scinto LFM, Weintraub S, Guinessey JE, Mesulam MM (1992) Diminished curiosity in patients with probable Alzheimer's disease as measured by exploratory eye movements. *Neurology* 42: 320-328.

Daffner KR, Mesulam MM, Scinto LFM, Acar D, Calvo V, Faust R, Chabrierie A, Kennedy B, Holcomb P (2000) The central role of the prefrontal cortex in directing attention to novel events. *Brain* 123: 927-939.

Damasio AR (1995) *Descartes' error: emotion, reason and the human brain*. New York: GP Putnams Sons.

Deacon TW, Eichenbaum H, Rosenberg P, Eckman KW (1983) Afferent connections of the perirhinal cortex in the rat. *J Comp Neurol* 220: 168-190.

Deadwyler SA, West MO, Robinson JH (1981) Entorhinal and septal inputs differentially control sensory-evoked responses in the rat dentate gyrus. *Science* 211: 1181 - 1183.

Desimone R (1996) Neural mechanisms for visual memory and their role in attention. *Proc Natl Acad Sci USA* 93: 13494-13499.

Desimone R, Ungerleider LG (1989) Neural mechanisms of visual processing in monkeys. In: *Handbook of Neuropsychology*, vol 2 (Boller F, Grafman J, eds), pp 267-296. New York: Elsevier.

Dolan RJ, Fletcher PC (1997) Dissociating prefrontal and hippocampal function in episodic memory encoding. *Nature* 388: 582-585.

Dolorfo CL, Amaral DG (1998a) Entorhinal cortex of the rat: topographic organization of the cells of origin of the perforant path projection to the dentate gyrus. *J Comp Neurol* 398: 52-48.

Dolorfo CL, Amaral DG (1998b) Entorhinal cortex of the rat: organization of intrinsic connections. *J Comp Neurol* 398: 49-82.

Dominey PF, Lelekov T, Ventre-Dominey J, Jeannerod M (1998) Dissociable processes for learning the surface structure and abstract structure of sensorimotor sequences. *J Cogn Neurosci* 10: 734-751.

Donchin E (1981) Surprise!.....Surprise? *Psychophysiology* 18: 493-513.

Donchin, E, Coles MGH (1988) Is the P300 component a manifestation of context updating? *Behav Brain Sci* 11: 357-374.

Downar J, Crawley AP, Mikulis DJ, Davis KD (2000) A multimodal cortical network for detecting changes in the sensory environment. *Nat Neurosci* 3: 277-283.

Driver J, Mattingley JB (1998) Parietal neglect and visual awareness. *Nat Neurosci* 1: 17-22.

Duelli R, Kuschinsky W (1993) Changes in brain capillary diameter during hypocapnia and hypercapnia. *J Cereb Blood Flow Metab* 13: 1025-1028.

Eichenbaum H (1997) Declarative memory: insights from cognitive neurobiology. *Annu Rev Psychol* 48: 547-572.

Eichenbaum H (2000) A cortical-hippocampal system for declarative memory. *Nature Reviews Neuroscience* 1: 41-50.

Eichenbaum H, Mathews P, Cohen NJ (1989) Further studies of hippocampal representation during odor discrimination learning. *Behav Neurosci* 103: 1207-1216.

Eichenbaum H, Stewart C, Morris RGM (1990) Hippocampal representation in spatial learning. *J Neurosci* 10: 331-339.

Eldridge L, Knowlton BJ, Furmanski CS, Bookheimer SY, Engel SA (2000) Remembering episodes: a selective role for the hippocampus during retrieval. *Nature Neurosci* 11: 1149-1152.

Elger CE, Grunwald T, Lehnertz K, Kutas M, Helmstaedter C, Brockhaus A, Van Roost D, Heinze HJ (1997) Human temporal lobe potentials in verbal learning and memory processes. *Neuropsychologia* 35: 657 - 667.

Erickson CA, Desimone R (1999) Responses of macaque perirhinal neurons during and after visual stimulus association learning. *J Neurosci* 19: 10404-10416.

Fabiani, M, Donchin E (1995) Encoding processes and memory organisation: A model of the von Restorff effect. *J Exp Psychol: Learn Mem Cogn* 21: 224-240.

Fabiani, M, Karis D, Donchin E (1990) Effects of strategy manipulation in a von Restorff paradigm. *Electroenceph Clin Neurophysiol* 75: 22-35.

Fahy FL, Riches IP, Brown MW (1993) Neuronal activity related to visual recognition memory: long-term memory and the encoding of recency and familiarity information in the primate anterior and medial inferior temporal and rhinal cortex. *Exp Brain Res* 96: 457-472.

Fernandez G, Weyerts H, Schrader-Bolsche M, Tendolkar I, Smid HGOM, Tempelmann C, Hinrichs H, Scheich H, Elger CE, Mangun GR, Heinze H-J (1998) Successful verbal encoding into episodic memory engages the posterior

hippocampus: a parametrically analyzed functional magnetic resonance imaging study. *J Neurosci* 18: 1841-1847.

Fernandez G, Effern A, Grunwald T, Pezer N, Lehnertz K, Dümpelmann M, Van Roost D, Elger CE (1999) Real-time tracking of memory formation in the human rhinal cortex and hippocampus. *Science* 285: 1582-1585.

Fink GR, Marshall JC, Halligan PW, Frith CD, Driver J, Frackowiak RSJ, Dolan RJ (1999) The neural consequences of conflict between intention and the senses. *Brain* 122: 497-512.

Fischer H, Furmark T, Wik G, Fredrikson M (2000) Brain representation of habituation to repeated complex visual stimulation studied with PET. *Neuroreport* 11: 123-126.

Fleschler M (1965) Adequate acoustic stimulus for startle reaction in the rat. *J Comp Physiol Psychol* 60: 200-207.

Fletcher P, Henson, RNA (2001) Prefrontal cortex and human memory – insights from functional neuroimaging. *Brain*. In Press.

Fletcher PC, Frith CD, Rugg MD (1997) The functional neuroanatomy of episodic memory. *Trends Neurosci* 20: 213-218.

Fletcher P, Buchel C, Josephs O, Friston K, Dolan R (1999) Learning-related

neuronal responses in prefrontal cortex studied with functional neuroimaging. *Cereb Cortex* 9: 168-178.

Fox SE, Wolfson S, Ranck JB Jr (1986) Hippocampal theta rhythm and the firing of neurons in walking and urethane anaesthetised rats. *Exp Brain Res* 62: 495–508.

Fricke R, Cowan WM (1978) An autoradiographic study of the commissural and ipsilateral hippocampo-dentate projections in the adult rat. *J Comp Neurol* 181: 253-269.

Fried I, MacDonald KA, Wilson CL (1997) Single neuron activity in human hippocampus and amygdala during recognition of faces and objects. *Neuron* 18: 753-765.

Friston KJ, Ashburner J, Frith CD, Poline J-B, Heather JD Frackowiak RSJ (1995a) Spatial registration and normalisation of images. *Hum. Brain Mapp* 2: 165-189.

Friston KJ, Holmes AP, Worsely KJ, Poline J-B, Frith CD, Frackowiak RSJ (1995b) Statistical parametric maps in functional imaging: a general linear approach. *Hum Brain Mapp* 2: 189-210.

Friston KJ, Buechel C, Fink GR, Morris J, Rolls E, Dolan RJ (1997) Psychophysiological and modulatory interactions in neuroimaging. *NeuroImage* 6: 218-229.

Friston KJ, Josephs O, Rees G, Turner R (1998a) Nonlinear event-related responses in fMRI. *Mag Res Med* 39: 41-52.

Friston KJ, Fletcher P, Josephs O, Holmes A, Rugg MD, Turner R (1998b) Event-related fMRI: Characterizing differential responses. *NeuroImage* 7: 30-40.

Friston KJ, Zarahn E, Josephs O, Henson RNA, Dale AM (1999) Stochastic designs in event-related fMRI. *NeuroImage* 10: 607-619.

Fuster JM (1989) *The prefrontal cortex. Anatomy, physiology and neuropsychology of the frontal lobe.* New York: Raven Press.

Gabrieli JDE, Brewer JB, Desmond JE, Glover GH (1997) Separate neural bases of two fundamental memory processes in the human medial temporal lobe. *Science* 276: 264-266.

Gage FH, Thompson RG (1980) Differential distribution of norepinephrine and serotonin along the dorsal-ventral axis of the hippocampal formation. *Brain Res Bull* 5: 771-773.

Ghaem O, Mellet E, Crivello F, Tzourio N, Mazoyer B, Berthoz A, Denis M (1997) Mental navigation along memorised routes activates the hippocampus, precuneus, and insula. *Neuroreport* 8: 739-744.

Glisky EL, Schacter DL, Tulving E (1986) Computer learning by memory-impaired patients: acquisition and retention of complex knowledge. *Neuropsychologia* 24: 313-328.

Goel V, Dolan RJ (2000) Anatomical segregation of component processes in an inductive inference task. *J Cogn Neurosci* 12: 110-119.

Goel V, Gold B, Kapur S, Houle S (1997) The seats of reason? An imaging study of deductive and inductive reasoning. *Neuroreport* 8: 1305-1310.

Goldberg TE, Berma KF, Fleming K, Ostrem J, Van Horn JD, Esposito G, Mattay VS, Gold JM, Weinberger DR (1998) Uncoupling cognitive workload and prefrontal cortical physiology: a PET rCBF study. *NeuroImage* 7: 296-303.

Goldman-Rakic PS, Selemon LD, Schwartz ML (1984) Dual pathways connecting the dorsolateral prefrontal cortex with the hippocampal formation and parahippocampal cortex in the rhesus monkey. *Neuroscience* 12: 719-743.

Gooding PA, Mayes AR, van Eijk R (2000) A meta-analysis of indirect memory tests for novel material in organic amnesics. *Neuropsychologia* 38: 666-676.

Grady CL, McIntosh AR, Horwitz B, Maisog JM, Ungerleider LG, Mentis MJ, Pietrini P, Schapiro MB, Haxby JV (1995) Age-related reductions in human recognition memory due to impaired encoding. *Science* 269: 218-221.

Grafton ST, Hazeltine E, Ivry R (1995) Functional mapping of sequence learning in normal humans. *J Cogn Neurosci* 7: 497-510.

Grant AD, Berg A (1948) A behavioral analysis of degree of reinforcement and ease of shifting to new responses in a Wiegand-type card-sorting problem. *J Exp Psychol* 38: 404-411.

Grasby PM, Frith CD, Friston KJ, Bench C, Frackowiak RSJ, Dolan RJ (1993) Functional mapping of brain areas implicated in auditory-verbal memory function. *Brain* 116: 1-20.

Gray JA (1982) *The Neuropsychology of Anxiety*. Oxford: Oxford UP.

Groves PM, Thompson RF (1970) Habituation: A dual process theory. *Psychol Rev* 77: 419-450.

Grunwald T, Lehnertz K, Heinze HJ, Helmstaedter C, Elger CE (1998) Verbal novelty detection within the human hippocampus proper. *Proc Natl Acad Sci* 95: 3193-3197.

Gustafson JW (1975) Distractibility and reactivity under different response conditions following hippocampal lesions in rats. *Behav Biol* 15: 479-484.

Haist F, Shimamura AP, Squire LR (1992) On the relationship between recall and recognition memory. *J Exp Psychol: Learn Mem Cogn* 18: 691-702.

Halgren E (1991) Firing of human hippocampal units in relation to voluntary movements. *Hippocampus* 1: 153-162.

Halgren, E, Marinkovik K (1995) Neurophysiological networks integrating human emotions. In: *The Cognitive Neurosciences* (Gazzaniga M, ed), pp 1137-1151. Cambridge, MA: MIT press.

Halgren E, Squires NK, Wilson CL, Rohrbaugh JW, Babb TL, Crandall PH (1980) Endogenous potentials generated in the human hippocampal formation and amygdala by infrequent events. *Science* 210:803-805.

Halgren E, Engel Jr J, Wilson CL, Walter RD, Squires NK, Crandall PH (1983) Dynamics of the hippocampal contribution to memory: Stimulation and recording studies in humans. In: *Neurobiology of the hippocampus*. (Seifert W, ed) pp 529-572. London: Academic Press.

Halgren E, Baudena P, Clarke JM, Heit G, Liegeois C, Chauvel P, Musolino A (1995) Intracerebral potentials to rare target and distractor auditory and visual stimuli. I. Superior temporal plane and parietal lobe. *Electroenceph Clin Neurophysiol* 94: 191-220.

Halgren E, Marinkovik K, Chauvel P (1998) Generators of the late cognitive potentials in auditory and visual oddball tasks. *Electroenceph Clin Neurophysiol* 106: 156-164.

Hampson RE, Simeral JD, Deadwyler SA (1999) Distribution of spatial and nonspatial information in dorsal hippocampus. *Nature* 402: 610-614.

Haring JH, Davis JN (1985) Differential distribution of locus coeruleus projections to the hippocampal formation: Anatomical and biochemical basis. *Brain Res* 325: 366-369.

Hasse A, Frahm J, Matthaei D *et al* (1986) FLASH imaging. Rapid NMR imaging using low flip-angle pulses. *J Magn Reson* 67:258-266.

Haxby JV, Ungerleider L, Horwitz B, Maisog J, Rappaport S, Grady C (1996) Face encoding and recognition in the human brain. *Proc Natl Acad Sci* 93: 922-927.

Heckers S, Rauch SL, Goff D, Savage CR, Schacter DL, Fischman AJ, Alpert NM (1998) Impaired recruitment of the hippocampus during conscious recollection in schizophrenia. *Nat Neurosci* 1: 318-323.

Heilman KM, Watson RT, Valenstein E (1985) Neglect and related disorders. In: *Clinical Neuropsychology* (Heilman KM, Valenstein E, eds), pp 243-293. New York: Oxford UP.

Heinze HJ, Mangun GR, Burchert W, Hinrichs H, Scholz M, Münte TF, Gös A, Scherg M, Johannes S, Hundeshagen H, Gazzaniga MS, Hillyard SA (1994)

Combined spatial and temporal imaging of brain activity during visual selective attention in humans. *Nature* 372: 543-546.

Heit G, Smith ME, Halgren E (1988) Neural encoding of individual words and faces by the human hippocampus and amygdala. *Nature* 333: 773-775.

Henke K, Buck A, Weber B, Wieser HG (1997) Human hippocampus establishes associations in memory. *Hippocampus* 7: 249-256.

Henke K, Weber B, Kneifel S, Wieser HG, Buck A (1999) Human hippocampus associates information in memory. *Proc Natl Acad Sci* 96: 5884-5889.

Higashima M, Kawasaki Y, Urata K, Maeda Y, Sakai N, Mizukoshi C, Nagasawa T, Kamiya T, Yamaguchi N, Koshino Y, Matsuda H, Tsuji S, Sumiya H, Hisasda K (1996) Simultaneous observation of regional cerebral blood flow and event-related potential during performance of an auditory task. *Cognitive Brain Res* 4: 289-296.

Hjörth-Simonsen A (1972) Projection of the lateral part of the entorhinal area to the hippocampus and fascia dentata. *J Comp Neurol* 146: 219-232.

Hjörth-Simonsen A, Jeune B (1972) Origin and termination of the hippocampal perforant path in the rat studied by silver impregnation. *J Comp Neurol* 144: 215-232.

Holland PC, Bouton ME (1999) Hippocampus and context in classical conditioning. *Curr Op Neurobiol* 9: 195-202.

Hoover DB, Muth EA, Jacobowitz DB (1978) A mapping of the distribution of acetylcholine, choline acetyltransferase, and acetylcholinesterase in discrete areas of rat brain. *Brain Res* 153: 295-306.

Hyder F, Rothman DL, Mason GF, Rangarajan A, Behar KL, Shulman RG (1997) Oxidative glucose metabolism in rat brain during single forepaw stimulation: a spatially localised ¹H[¹³C] nuclear magnetic resonance imaging study. *J Cereb Blood Flow Metab* 17: 1040-1047.

Insausti R, Amaral DG, Cowan WM (1987) The entorhinal cortex of the monkey: II. Cortical afferents. *J Comp Neurol* 264: 359-395.

Insausti R, Herrero MT, Witter MP (1997) Entorhinal cortex of the rat: cytoarchitectonic subdivisions and the origin and distribution of cortical efferents. *Hippocampus* 7: 146-183.

Isenberg N, Silbersweig D, Engelen A, Emmerich S, Malavade K, Beattie B, Leon AC, Stern E (1999) Linguistic threat activates the human amygdala. *Proc Natl Acad Sci USA* 96: 10456-10459.

Ishizuka N, Weber J, Amaral DG (1990) Organization of intrahippocampal projections originating from CA3 pyramidal cells in the rat. *J Comp Neurol* 295: 580-623.

James W (1890) *Principles of psychology*. New York: Henry Holt & Co.

Johnson MK, Nolde SF, Mather M, Kounios J, Schacter DL and Curran T (1997) The similarity of brain activity associated with true and false recognition depends on test format. *Psychological Science* 8: 250-257.

Johnson Jr R (1993) On the neural generators of the P300 component of the event-related potential. *Psychophysiology* 30: 90-97.

Jones B, Mishkin M (1972) Limbic lesions and the problem of stimulus reinforcement associations. *Exp Neurol* 36: 362-377.

Jonides J, Schumacher EH, Smith EE, Lauber EJ, Awh E, Minoshima S, Koeppe R (1997) Verbal working memory load affects regional brain activation as measured by PET. *J Cogn Neurosci* 9: 462-475.

Josephs O, Henson RNA (1999) Event-related fMRI: modelling inference and optimisation. *Philosophical Transactions of the Royal Society of London*. 354: 1215-1228.

Josephs O, Turner R, Friston KJ (1997) Event-related fMRI. *Hum Brain Mapp* 5:

243-248.

Jung MW, Wiener SI, McNaughton BL (1994) Comparison of spatial firing characteristics of units in dorsal and ventral hippocampus of the rat. *J Neurosci* 14: 7347-7356.

Kanwisher N, Chun M, McDermott J, Ledden P (1996) Functional imaging of human visual recognition. *Cog Brain Res* 5, 55-67.

Kapur N, Friston KJ, Young A, Frith CD, Frackowiak RSJ (1995) Activation of human hippocampal formation during memory for faces-a PET study. *Cortex* 31: 99-108.

Kartsounis LD, Rudge P and Stevens JM. (1995) Bilateral lesions of CA1 and CA2 fields of the hippocampus are sufficient to cause a severe amnesic syndrome in humans. *J Neurol, Neurosurg Psychiatry* 59: 95-98.

Kelley WM, Miezin F, McDermott K, Buckner RL, Raichle ME, Cohen NJ, Ollinger JM, Akbudak E, Conturo TE, Snyder AZ, Petersen SE (1998) Hemispheric specialisation in human dorsal frontal cortex and medial temporal lobe for verbal and nonverbal memory encoding. *Neuron* 20: 927-936.

Kim C, Choi H, Kim JK, Chang HK, Park RS, Kang JY (1970) General behavioral activity and its component patterns in hippocampectomized rats. *Brain Res* 19: 379.

Kimble DP (1969) Possible inhibitory functions of the hippocampus. *Neuropsychologia* 7: 235–244.

Kimble DP (1975) Choice behaviour in rats with hippocampal lesions. In: *The Hippocampus*, vol 2 (Isaacson RL, Pribram KH, eds), pp 309-326. New York: Plenum Press.

Kimura D (1963) Right temporal lobe damage: perception of unfamiliar stimuli after damage. *Arch Neurol* 8: 264-271

Kirchoff BA, Wagner AD, Maril A, Stern CE (2000) Prefrontal-temporal circuitry for episodic encoding and subsequent memory. *J Neurosci* 20:6173-6180.

Kirino E, Belger A, Goldman-Rakic P, McCarthy G (2000) Prefrontal activation evoked by infrequent target and novel stimuli in a visual target detection task: an event-related functional magnetic resonance imaging study. *J Neurosci* 20: 6612-6618.

Kitchener EG, Hodges JR, McCarthy R (1998) Acquisition of post-morbid vocabulary and semantic facts in the absence of episodic memory. *Brain* 121: 1313-1327.

Knight RT (1984) Decreased response to novel stimuli after prefrontal lesions in man. *Electroenceph Clin Neurophysiol* 59: 9-20.

Knight RT (1996) Contribution of human hippocampal region to novelty detection. *Nature* 383: 256–259.

Knight RT, Scabini D, Woods DL, Clayworth CC (1989) Contributions of temporo-parietal junction to the human auditory P3. *Brain Res* 502: 109-116.

Knowlton BJ, Squire LR (1993) The learning of categories: parallel brain systems for item memory and category knowledge. *Science* 262: 1747-1749.

Knowlton BJ, Mangels JA, Squire LR (1996) A neostriatal habit learning system in humans. *Science* 273: 1399-1402.

Koechlin E, Basso G, Pietrini P, Panzer S, Grafman J (1999) The role of the anterior prefrontal cortex in human cognition. *Nature* 399: 148-151.

Köhler C (1985) Intrinsic projections of the retrohippocampal region in the rat brain. I. The subicular complex. *J Comp Neurol* 236: 504-522.

Konishi S, Nakajima K, Uchida I, Kameyama M, Nakahara K, Sekihara K, Miyashita Y (1998) Transient activation of inferior prefrontal cortex during cognitive set shifting. *Nat Neurosci* 1: 80-84.

Kopelman MD, Stevens TG, Foli S, Grasby P (1998) PET activation of the medial temporal lobe in learning. *Brain* 121: 875 - 887.

Kovner R, Mattis S, Goldmeier E (1983) A technique for promoting robust free recall in chronic organic amnesia. *J Clin Neuropsychol* 5: 65-71.

Kreiman G, Koch C, Fried I (2000) Imagery neurons in the human brain. *Nature* 408: 357-361.

Krettek JE, Price JL (1977) Projections from the amygdaloid complex and adjacent olfactory structures to the entorhinal cortex and to the subiculum of the rat and cat. *J Comp Neurol* 172: 723-752.

Kucer H, Francis WN (1967) Computational analysis of present-day American English. Providence RI: Brown UP.

Kutas M, Van Petten CK (1994) Psycholinguistics electrified: Event-related brain potential investigation. In: *Handbook of Psycholinguistics* (Gernsbacher MA, ed), pp 83-144. San Diego: Academic Press.

Kwong KK, Belliveau JW, Chesler DA, Goldberg IE, Weiskoff RM, Poncelet BP, Kennedy DN, Hoppel BE, Cohen MS, Turner R, Cheng H-M, Brady TJ, Rosen BR (1992) Dynamic magnetic resonance imaging of human brain activity during primary sensory stimulation. *Proc Natl Acad Sci USA* 89: 5675-5679.

Lashley KS (1929) *Brain mechanisms and intelligence: a quantitative study of injuries to the brain*. Chicago: Chicago UP.

Lauterbur PC (1973) Image formation by induced local interactions: examples employing nuclear magnetic resonance. *Nature* 242: 190-191.

LeDoux JE (1995) Emotion: clues from the brain. *Annu Rev Psychol* 46: 209-264.

Lepage M, Habib R, Tulving E (1998) Hippocampal PET activations of memory encoding and retrieval: The HIPER model. *Hippocampus* 8: 313-322.

Lepage M, Ghaffar O, Nyberg L, Tulving E (2000) Prefrontal cortex and episodic retrieval mode. *Proc Natl Acad Sci* 97: 506-511.

Leveroni CL, Seidenberg M, Mayer AR, Mead LA, Binder JR, Rao SM (2000) Neural systems underlying the recognition of familiar and newly learned faces. *J Neurosci* 20: 878-886.

Li XG, Somogyi P, Ylinen A, Buzsaki G (1994) The hippocampal CA3 network: an in vivo intracellular labeling study. *J Comp Neurol* 339: 181-208.

Linden DEJ, Prvulovic D, Formisano E, Vollinger M, Zanella FE, Goebel R, Dierks T (1999) The functional neuroanatomy of target detection: an fMRI study of visual and auditory oddball tasks. *Cereb Cortex* 9:815-823.

Loewy AD (1991) Forebrain nuclei involved in autonomic control. *Prog Brain Res* 87: 253-268.

MacLean PD (1952) Some psychiatric implications of physiological studies on frontotemporal portion of limbic systems. *Electroenceph Clin Neurophysiol* 4: 407-418.

MacLeod AK, Buckner RL, Miezin FM, Petersen SE, Raichle ME (1998) Right anterior prefrontal cortex activation during semantic memory. *NeuroImage* 7: 41-48

Maguire EA, Mummery CJ (1999) Differential modulation of a common memory retrieval network revealed by positron emission tomography. *Hippocampus* 9: 54-61.

Maguire EA, Frackowiak RSJ, Frith C (1996) Learning to find your way: a role for the human hippocampal formation. *Proc R Soc Lond B Biol Sci* 263: 1745-1750.

Maguire EA, Frackowiak RSJ, Frith CD (1997) Recalling routes around London: activation of the right hippocampus in taxi drivers. *J Neurosci* 17: 7103-7110.

Maguire EA, Burgess N, Donnett J, Frackowiak RSJ, Frith C, O'Keefe J (1998a) Knowing where and getting there: A human navigation network. *Science* 280: 921-924.

Maguire EA, Frith C, Burgess N, Donnett J, O'Keefe J (1998b) Knowing where things are: parahippocampal involvement in encoding object locations in virtual large-scale space. *J Cogn Neurosci* 10: 61-76.

Mahut H, Moss M, Zola-Morgan S (1981) Retention deficits after combined amygdalo-hippocampal and selective hippocampal resections in the monkey. *Neuropsychologia* 19: 201-225.

Mandeville JB, Marota JJ, Ayata C, Zaharchuk G, Moskowitz MA, Rosen BR, Weisskoff RM (1999) Evidence of a cerebrovascular postarteriole windkessel with delayed compliance. *J Cereb Blood Flow Metab* 19: 679-689.

Mansfield P (1977) Multi-planar image formation using NMR spin echoes. *J Physiol (Lond)* 10: 349-352.

Martin A, Wiggs CL, Weisberg J (1997) Modulation of human medial temporal lobe activity by form, meaning and experience. *Hippocampus* 7: 587-593.

Mayes AR (1988) *Human organic memory disorders*. Cambridge: Cambridge UP.

Mays LE, Best PJ (1975) Hippocampal unit activity to tonal stimuli during arousal from sleep and in awake rats. *Exp Neurol* 47: 268-279.

McCarthy G, Luby M, Gore J, Goldman-Rakic P (1997) Infrequent events transiently activate human prefrontal and parietal cortex as measured by functional MRI. *J Neurophysiol* 77: 1630-1634.

Menon V, White CD, Eliez S, Glover GH, Reiss AL (2000) Analysis of a distributed neural system involved in spatial information, novelty, and memory processing. *Hum Brain Mapp* 11: 117-129.

Mesulam MM (1990) Large-scale neurocognitive networks and distributed processing for attention language and memory. *Ann Neurol* 28: 597-613.

Metcalf J (1993) Novelty monitoring, metacognition, and control in a composite holographic associative recall model: Implications for Korsakoff amnesia. *Psychol Rev* 100: 3-22.

Meunier M, Bachevalier J, Mishkin M (1997) Effects of orbital frontal and anterior cingulate lesions on object and spatial memory in the rhesus monkey. *Neuropsychologia* 35: 999-1015.

Mickley GA, Ferguson JL (1989) Enhanced acoustic startle responding in rats with radiation-induced hippocampal granule cell hypoplasia. *Exp Brain Res* 75: 28-34.

Miller EK, Li L, Desimone R (1991) A neural mechanism for working memory and recognition memory in inferior temporal cortex. *Science* 254: 1377-1379.

Miller EK, Li L, Desimone R (1993) Activity of neurons in anterior inferior temporal cortex during a short-term memory task. *J Neurosci* 13: 1460-1478.

Miller EK, Erikson CA, Desimone R (1996) Neural mechanisms of visual working memory in prefrontal cortex of the macaque. *J Neurosci* 16: 5154-5167.

Milner B (1962) Les troubles de la memoire accompagnant les lesions hippocampiques bilaterales. In: *Physiologie de l'Hippocampe, Colloques Internationaux No 107*. pp 257-272. Paris: CNRS

Milner B (1963) Effects of different brain lesions on card sorting. *Arch Neurol* 28: 100-110.

Milner B (1972) Disorders of learning and memory after temporal lobe lesions in man. *Clin Neurosurg* 19: 421 - 446.

Milner B, Teuber H-L (1968) Alteration of perception and memory in man: reflection on methods. In: *Analysis of behavioral change*. (Weiskrantz L, ed), p268-375. New York: Harper and Row.

Mishkin M (1978) Memory in monkeys severely impaired by combined but not separate removals of the amygdala and hippocampus. *Nature* 273: 297-298.

Mishkin M, Delacour J (1975) An analysis of short-term visual memory in the monkey. *J Exp Psychol: Anim Behav* 1: 326-334.

Mishkin M, Vargha-Khadem F, Gadian DG (1998) Amnesia and the organization of the hippocampal system. *Hippocampus* 8: 212-216.

Mitchell SJ, Ranck JB Jr (1980) Generation of theta rhythm in medial entorhinal cortex of freely moving rats. *Brain Res* 189: 49-66.

Montaldi D, Mayes AR, Barnes A, Pirie H, Hadley DM, Patterson J, Wyper DJ (1998) Associative encoding of pictures activates the medial temporal lobes. *Hum Brain Mapp* 6: 85-104.

Montgomery KC (1955) The relation between fear induced by novel stimulation and exploratory behaviour. *J Comp Physiol Psychol* 48: 254-260.

Morris JS, Frith CD, Perrett DI, Rowland D, Young AW, Calder AJ, Dolan RJ (1996) A differential neural response in the human amygdala to fearful and happy facial expressions. *Nature* 383: 812-815.

Morris JS, Friston KJ, Buechel C, Frith CD, Young AW, Calder AJ, Dolan RJ (1998) A neuromodulatory role for the human amygdala in processing emotional facial expressions. *Brain* 121: 47-57.

Morris R, Pandya DN, Petrides M (1999) Fiber system linking the mid-dorsolateral frontal cortex with the retrosplenial/presubicular region in the rhesus monkey. *J Comp Neurol* 407: 183-192.

Morris RGM (1983) An attempt to dissociate 'spatial mapping' and 'working memory' theories of hippocampal function. In: *Neurobiology of the hippocampus*. (Seifert W, ed) pp 405-432. London: Academic Press.

Morris RGM, Garrud P, Rawlins JP, O'Keefe J (1982) Place navigation impaired in rats with hippocampal lesions. *Nature* 297: 681-683.

Moser M-B, Moser EI (1998) Functional differentiation in the hippocampus. *Hippocampus* 8: 608-619.

Moser E, Moser M-B, Andersen P (1993) Spatial learning impairment parallels the magnitude of dorsal hippocampal lesions, but is hardly present following ventral lesions. *J Neurosci* 13: 7347-7359.

Mummery CJ, Patterson K, Hodges JR, Price CJ (1998) Functional neuroanatomy of the semantic system: divisible by what? *J Cogn Neurosci* 10: 766-777.

Murdock BB Jr (1960) The distinctiveness of stimuli. *Psychol Rev* 67: 16-31.

Murray EA, Mishkin M (1984) Severe tactual as well as visual memory deficits follow combined removal of the amygdala and hippocampus in monkeys. *J Neurosci* 4: 2565-2580.

Murray EA, Mishkin M (1996) Forty-minute visual recognition memory in rhesus monkeys with hippocampal lesions. *Society for Neuroscience Abstracts* 22:281, 116.9.

Naber PA, Witter MP, Lopes da Silva FH (1999) Perirhinal cortex input to the hippocampal formation in the rat: evidence for parallel pathways, both direct and indirect. A combined physiological and anatomical study. *Eur J Neurosci* 11: 4119-4133.

Naber PA, Witter MP, Lopes da Silva FH (2000) Evidence for a direct projection from postrhinal cortex to subiculum in the rat. *Hippocampus* 9: 392-404.

Nadel L, Moscovitch M (1997) Memory consolidation, retrograde amnesia and the hippocampal complex. *Curr Op Neurobiol* 7: 217-227.

Nadel L, Moscovitch M (1998) Hippocampal contribution to cortical plasticity. *Neuropharmacology* 37: 431-439.

Nagahama Y, Fukuyama H, Yamauchi H, Matsuzaki S, Konishi J, Shibasaki H, Kimura J (1996) Cerebral activation during performance of a card sorting test. *Brain* 119: 1667-1675.

Nobre AC, Allison T, McCarthy G (1994) Word recognition in the human inferior temporal lobe. *Nature* 372: 260-263.

Nobre AC, Allison T, McCarthy G (1998) Modulation of human extrastriate visual processing by selective attention to colours and words. *Brain* 121: 1357-1368.

Nobre AC, Coull JT, Frith CD, Mesulam M-M (1999) Orbitofrontal cortex is activated during breaches of expectation in tasks of visual attention. *Nat Neurosci* 2: 11-12.

Nolde SF, Johnson MK, Raye CL (1998) The role of prefrontal cortex during tests of episodic memory. *Trends Cog Sci* 2: 399-406.

Nosofsky RM (1986) Attention, similarity, and the identification-categorization relationship. *J Exp Psychol: Gen* 115: 38-57.

O'Keefe J (1976) Place units in the hippocampus of the freely moving rat. *Exp Neurol* 51: 78-109.

O'Keefe J, Dostrovsky J (1971) The hippocampus as a spatial map: Preliminary evidence from unit activity in the freely-moving rat. *Brain Res* 34: 171-175.

O'Keefe J, Conway DH (1978) Hippocampal place units in the freely moving rat: why they fire when they fire. *Exp Brain Res* 31: 573-590.

O'Keefe J, Nadel L (1978) *The hippocampus as a cognitive map*. Oxford: Oxford UP.

O'Keefe J, Burgess N (1996) Geometric determinants of the place fields of hippocampal neurons. *Nature* 381: 425-428.

Ogawa S, Lee T-M (1990) Magnetic resonance imaging of blood vessels at high fields: *in vivo* and *in vitro* measurements and image simulation. *Magn Res Med* 16: 9-18.

Ogawa S, Lee T-M, Nayak AS, Glynn P (1990) Oxygenation-sensitive contrast in magnetic resonance image of rodent brain at high magnetic fields. *Magn Res Med* 14: 68-78.

Ogawa S, Tank DW, Menon R, Ellerman JM, Kim S-G, Merkle H, Ugurbil K (1992) Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proc Natl Acad Sci USA* 89: 5951-5955.

Ojemann JG, Akbudak E, Snyder A, McKinstry R, Raichle M, Conyuro T (1997) Anatomic localization and quantitative analysis of gradient refocused echo-planar fMRI susceptibility artifacts. *NeuroImage* 6: 156-167.

Olton DS, Becker JT, Handelman GE (1979) Hippocampus, space and memory. *Behav Brain Sci* 2: 313-322.

Opitz B, Mecklinger A, Friederici AD, von Cramon DY (1999) The functional neuroanatomy of novelty processing: integrating ERP and fMRI results. *Cereb Cortex* 9: 379-391.

Osherson D, Perani D, Cappa S, Schnur T, Grassi F, Fazio F (1998) Distinct brain loci in deductive versus probabilistic reasoning. *Neuropsychologia* 36: 369-376.

Otten LJ, Henson RNA, Rugg MD (2001) Depth of processing effects on neural correlates of memory encoding: relationship between findings from across- and within-task comparisons. *Brain* 124: 399-412.

Otto T, Eichenbaum H (1992) Neuronal activity in the hippocampus during delayed non-match to sample performance in rats: evidence for hippocampal processing in recognition memory. *Hippocampus* 2: 323-334.

Overman WH, Ormsby G, Mishkin M (1990) Picture recognition vs. picture discrimination learning in monkeys with medial temporal removals. *Exp Brain Res* 79: 18-24.

Packard MG, Hirsch R, White NM (1989) Differential effects of fornix and caudate nucleus lesions on two radial maze tasks: evidence for multiple memory systems. *J Neurosci* 9: 1465-1472.

Pandya DN, Seltzer B (1982) Association areas of the cerebral cortex. *Trends Neurosci* 5: 386-392.

Papez JW (1937) A proposed mechanism of emotion. *Arch Neurol Psychiat (Chicago)* 38: 725-743.

Parker A, Wilding E, Akerman C (1998) The von Restorff effect in visual object recognition memory in humans and monkeys: The role of frontal/perirhinal interactions. *J Cogn Neurosci* 10: 691-703.

Passingham R (1993) *The frontal lobes and voluntary action*. Oxford: Oxford UP.

Pauling L, Coryall CD (1936) The magnetic properties and structure of hemoglobin, oxyhemoglobin and carbonoxyhemoglobin. *Proc Natl Acad Sci USA* 22: 210-216.

Penfield W, Mathieson GM (1974) Memory: autopsy findings and comments on the role of hippocampus in experiential recall. *Arch Neurol* 31: 145-154.

Perruchet P, Pacteau C (1990) Synthetic grammar learning: Implicit rule abstraction or explicit fragmentary knowledge. *J Exp Psychol: Gen* 119: 264-275.

Ploghaus A, Tracey I, Clare S, Gati JS, Rawlins JNP, Matthews PM (2000) Learning about pain: the neural substrate of the prediction error for aversive events. *Proc Natl Acad Sci* 97: 9281-9286.

Polich J, Squire LR (1993) P300 from amnesic patients with bilateral hippocampal lesions. *Electroenceph Clin Neurophysiol* 86: 408-417.

Portas CM, Strange BA, Friston KJ, Dolan RJ, Frith CD (2000) How does the brain sustain a visual percept? *Proceedings of the Royal Society London. Series B.* 267: 845-850.

Poucet B, Thinus-Blanc C, Muller RU (1994) Place cells in the ventral hippocampus of rats. *Neuroreport* 5: 2045-2048.

Prabhakaran V, Smith JAL, Desmond JE, Glover GH, Gabrieli JDE (1997) Neural substrates of fluid reasoning: an fMRI study of neocortical activation during performance of the Raven's Progressive Matrices test. *Cognitive Psychology* 33: 43-63.

Pribram KH, Isaacson RL (1975) Summary. In: *The Hippocampus*, vol 2 (Isaacson RL, Pribram KH, eds), pp 429-441. New York: Plenum Press.

Price CJ, Friston KJ (1997) Cognitive conjunction: A new approach to brain activation experiments. *NeuroImage* 5: 261-270.

Price CJ, Moore CJ, Frackowiak RSJ (1996) The effect of varying stimulus rate and duration on brain activity during reading. *NeuroImage* 3: 40-52.

Purcell EM, Torrey HC, Pound RV (1945) Resonance absorption by nuclear magnetic moment. *Phys Rev* 69: 37-38.

Ramon y Cajal S (1911) *Histologie du systeme nerveux de l'homme et des vertebres*. Paris: Maloine.

Ranck JB Jr (1973) Studies on single neurons in dorsal hippocampal formation and septum in unrestrained rats. *Exp Neurol* 41: 461-555.

Rauch SL, Whalen PJ, Curran T, McInerney S, Heckers S, Savage CR (1998) Thalamic deactivation during early implicit sequence learning: a functional MRI study. *Neuroreport* 9: 865-870.

Reber AS (1967) Implicit learning of artificial grammars. *J Verb Learn Verbal Behav* 5: 855-863.

Reber PJ, Stark CEL, Squire LR (1998) Cortical areas supporting category learning identified using functional MRI. *Proc Natl Acad Sci USA* 95: 747-750.

Reed JM, Squire LR (1997) Impaired recognition in patients with lesions limited to the hippocampal formation. *Behav Neurosci* 111: 667-675.

Reed JM, Squire LR (1998) Retrograde amnesia for facts and events: Findings from four new cases. *J Neurosci* 18: 3943-3954.

Rempel-Clower NL, Zola SM, Squire LR, Amaral DG (1996) Three cases of enduring memory impairment after bilateral damage limited to the hippocampal formation. *J Neurosci* 16: 5233 - 5255.

Riches IP, Wilson FAW, Brown MW (1991) The effects of visual stimulation and memory on neurons of the hippocampal formation and the neighbouring parahippocampal gyrus and inferior temporal cortex of the primate. *J Neurosci* 11: 1763-1779.

Ringo JL, Sobotka S, Diltz MD, Bunce CM (1994) Eye movements modulate activity in hippocampal and inferotemporal neurones. *J Neurophysiol* 71: 1285-1288.

Risold PY, Swanson LW (1996) Structural evidence for functional domains in the rat hippocampus. *Science* 272: 1484-1486.

Risold PY, Swanson LW (1997) Connections of the rat lateral septal complex. *Brain Res Rev* 24: 115-195.

Ritter W, Vaughan Jr, HG, Costa LD (1968) Orienting and habituation to auditory stimuli: a study of short-term changes in average evoked responses. *Electroenceph Clin Neurophysiol* 25: 550-556.

Roediger HL, McDermott K (1993) Implicit memory in normal human subjects. In: *Handbook of Neuropsychology*, vol 8. (Boller F, Grafman J, eds), 63-131. New York: Elsevier.

Rogers RD, Andrews TC, Grasby PM, Brooks DJ, Robbins TW (2000) Contrasting cortical and subcortical activations produced by attentional-set shifting and reversal

learning in humans. *J Cogn Neurosci* 12: 142-162.

Rolls ET, Wilson FAW (1993) The effects of stimulus novelty and familiarity on neuronal activity in the amygdala in monkeys performing recognition memory tasks. *Exp Brain Res* 93: 367-382.

Rolls ET, Miyashita Y, Cahusac PMB, Kesner RP, Niki H, Feigenbaum J, Bach L (1989) Hippocampal neurons in the monkey with activity related to the place in which the stimulus is shown. *J Neurosci* 9: 1835-1845.

Rolls ET, Cahusac PMB, Feigenbaum JD, Miyashita Y (1993) Responses of single neurons in the hippocampus of the macaque related to recognition memory. *Exp Brain Res* 93: 299-306.

Rombouts S, Machielsen W, Witter M, Barkhof F, Lindeboom J, Scheltens P (1997) Visual association encoding activates the medial temporal lobe: A functional magnetic resonance imaging study. *Hippocampus* 7: 594-601.

Rosene DL, Van Hoesen GW (1987) The hippocampal formation of the primate brain. In: *Cerebral Cortex*, vol 6. (Jones EG, Peters A, eds), pp345-456. New York: Plenum Press.

Rugg MD (1995) Cognitive event-related potentials: intracranial and lesion studies. In: *Handbook of Neuropsychology*, vol 10. (Boller F, Grafman J, eds) pp 165-185. New York: Elsevier.

Rugg MD, Wilding EL (2000) Retrieval processing and episodic memory. *Trends Cog Sci* 4: 108-115

Rugg MD, Henson RNA (2001) Episodic memory retrieval. An event-related functional neuroimaging perspective. In: *The cognitive neuroscience of memory encoding and retrieval*. (Parker A, Wilding E, Bussey T, eds), London: London Psychology Press (in press).

Rundus D (1971) Analysis of rehearsal processes in free recall. *J Exp Psychol* 89: 63-77.

Ruth RE, Collier TJ, Routtenberg A (1982) Topography between the entorhinal cortex and the dentate septotemporal axis in rats I. Medial and intermediate entorhinal projecting cells. *J Comp Neurol* 209: 69-78.

Ruth RE, Collier TJ, Routtenberg A (1988) Topography between the entorhinal cortex and the dentate septotemporal axis in rats II. Cells projecting from lateral entorhinal subdivisions. *J Comp Neurol* 270: 506-516.

Ryle G (1949) *The concept of mind*. New York: Barnes and Noble.

Ryoo HL, Joyce JN (1994) Loss of dopamine D2 receptors varies along the rostrocaudal axis of the hippocampal complex in Alzheimer's disease. *J Comp Neurol* 348: 94-110.

Rypma B, Prabhakaran V, Desmond JE, Glover GH, Gabrieli JDE (1999) Load-dependent roles of frontal brain regions in the maintenance of working memory. *NeuroImage* 9: 216-226.

Sakai K, Miyashita Y (1991) Neural organization for the long-term memory of paired associates. *Nature* 354: 152-155.

Saykin AJ, Johnson SC, Flashman LA, McAllister TW, Sparling M, Darcey TM, Moritz CH, Guerin SJ, Weaver J, Mamourian A (1999) Functional differentiation of medial temporal and frontal regions involved in processing novel and familiar words: an fMRI study. *Brain* 122: 1963-1971.

Schacter DL, Tulving E (1994) What are the memory systems of 1994? In: *Memory Systems 1994*. (Schacter DL, Tulving E, eds), pp 1-38 Cambridge MA: MIT Press

Schacter DL, Buckner RL (1998) Priming and the brain. *Neuron* 20: 185-195.

Schacter DL, Wagner AD (1999) Medial temporal lobe activations in fMRI and PET studies of episodic encoding and retrieval. *Hippocampus* 9: 7-24.

Schacter DL, Reiman E, Uecker A, Polster MR, Yun LS, Cooper LA (1995) Brain regions associated with retrieval of structurally coherent visual information. *Nature* 376: 587-590.

Schacter DL, Alpert NM, Savage CR, Rauch SL, Alpert MS (1996) Conscious recollection and the human hippocampal formation: evidence from positron emission tomography. *Proc Natl Acad Sci USA* 93: 321-325.

Schacter DL, Uecker A, Reiman E, Yun LS, Bandy D, Chen K, Cooper LA, Curran T (1997) Effects of size and orientation change on hippocampal activation during episodic recognition: a PET study. *Neuroreport* 8: 3993-3998.

Schnider A, Ptak R (1999) Spontaneous confabulators fail to suppress currently irrelevant memory traces. *Nat Neurosci* 2: 677-681.

Scoville WB, Milner B (1957) Loss of recent memory after bilateral hippocampal lesions. *J Neurosurg Psychiat* 20: 11-21.

Sergent J, Ohta S, MacDonald B (1992) Functional neuroanatomy of face and object processing. *Brain* 115: 15-36.

Shallice T, Warrington EK (1970) Independent functioning of verbal memory stores: a neuropsychological study. *Q J Exp Psychol* 22: 261-273.

Shallice T, Fletcher PC, Frith CD, Grasby P, Frackowiak RSJ, Dolan RJ (1994) Brain regions associated with acquisition and retrieval of verbal episodic memory. *Nature* 368: 633-635.

Shanks DR (1995) *The psychology of associative learning*. Cambridge: Cambridge UP.

Shanks DR, St John MF (1994) Characteristics of dissociable human learning systems. *Behav Brain Sci* 17: 367-447.

Shi C-J, Cassell MD (1999) Perirhinal cortex projections to the amygdaloid complex and hippocampal formation in the rat. *J Comp Neurol* 406: 299 – 328.

Sidman M, Stoddard LT, Mohr JP (1968) Some additional quantitative observations of immediate memory in a patient with bilateral hippocampal lesions. *Neuropsychologia* 6: 245-254.

Smith EE, Langston C, Nisbett RE (1992) The case for rules in reasoning. *Cognitive Science* 16:1-40.

Smith EE, Jonides J, Koeppel RA (1996) Dissociating verbal and spatial working memory using PET. *Cereb Cortex* 6: 11-20.

Smith EE, Patalano AL, Jonides J (1998) Alternative strategies of categorization. *Cognition* 65: 167-196.

Smith ME, Stapleton JM, Halgren E (1986) Human medial temporal lobe potentials evoked in memory and language tasks. *Electroencephalogr Clin Neurophysiol* 63: 145-159.

Smith ME, Halgren E, Sokolik M, Baudena P, Musolino A, Liegeois-Chauvel C, Chauvel P (1990) The intracranial topography of the P3 event-related potential elicited during auditory oddball. *Electroenceph Clin Neurophysiol* 76: 235-248.

Sobotka S, Nowicka A, Ringo JL (1997) Activity linked to externally cued saccades in single units recorded from hippocampal, parahippocampal, and inferotemporal areas of macaques. *J Neurophysiol* 78: 2156-2163.

Sokolov EN (1963) Higher nervous functions: the orienting reflex. *Annu Rev Physiol* 25: 545-580.

Sokolov EN (1990) The orienting response and future directions of its development. *Pavlov J Biol Sci* 25: 142-150.

Squire LR (1992) Memory and the hippocampus: a synthesis from findings in rats, monkeys and humans. *Psychol Rev* 99: 195-231.

Squire LR, Zola-Morgan S (1988) Memory: Brain systems and behavior. *Trends Neurosci* 11: 170-175.

Squire LR, Zola-Morgan S (1991) The medial temporal lobe memory system. *Science* 253: 1380-1386.

Squire LR, Alvarez P (1995) Retrograde amnesia and memory consolidation: a neurobiological perspective. *Curr Op Neurobiol* 5: 169-177.

Squire LR, Knowlton BJ (1995) Memory, hippocampus, and brain systems. In: *The Cognitive Neurosciences*. (Gazzaniga M, ed), pp 825-838. Cambridge MA: MIT Press.

Squire LR, Zola-Morgan S, Chen K (1988) Human amnesia and animal models of amnesia: Performance of amnesic patients on tests designed for the monkey. *Behav Neurosci* 11: 210-221.

Squire LR, Knowlton B, Musen G (1993) The structure and organisation of memory. *Annu Rev Psychol* 44: 453-495.

Squires KC, Wickens C, Squires NK, Donchin E (1976) The effect of stimulus sequence on the waveform of the cortical event-related potential. *Science* 193: 1142-1146.

Stern CE, Corkin S, Gonzalez RG, Guimaraes AR, Baker JR, Jennings PJ, Carr CA, Suigura RM, Vedantham V, Rosen BR (1996) The hippocampal formation participates in novel picture encoding: evidence from functional magnetic resonance imaging. *Proc Natl Acad Sci* 93: 8660-8665.

Strange BA, Dolan RJ (2001) Adaptive anterior hippocampal responses to oddball stimuli. *Hippocampus* 11: 690-698.

Strange BA, Fletcher PC, Henson RNA, Friston KJ, Dolan RJ (1999) Segregating the functions of human hippocampus. *Proc Natl Acad Sci* 96:4034-4039.

Strange BA, Henson RNA, Friston KJ, Dolan RJ (2000) Brain mechanisms for detecting perceptual, semantic and emotional deviance. *NeuroImage* 12:425-433.

Strange BA, Henson RNA, Friston KJ, Dolan RJ (2001) Anterior prefrontal cortex mediates rule learning in humans. *Cereb Cortex*. 11: 1040-1046.

Stuss DT, Benson DF (1986) *The frontal lobes*. New York: Raven Press.

Stuss DT, Levine B, Alexander MP, Hong J, Palumbo C, Hamer L, Murphy KJ, Izukawa D (2000) Wisconsin card sorting test performance in patients with focal frontal and posterior brain damage: effects on lesion location and test structure on separable cognitive processes. *Neuropsychologia* 38: 388-402.

Sullivan EV, Marsh L, Mathalon DH, Lim KO, Pfefferbaum A (1995) Anterior hippocampal volume deficits in non-amnesic, aging chronic alcoholics. *Alcohol Clin Exp Res* 19: 110-122.

Suzuki WA, Amaral DG (1990) Cortical inputs to the CA1 field of the monkey hippocampus originate in perirhinal and parahippocampal cortex but not from area TE. *Neurosci Lett* 115: 43-48.

Suzuki WA, Amaral DG (1994) Topographic organization of the reciprocal connections between the monkey entorhinal cortex and the perirhinal and parahippocampal cortices. *J Neurosci* 14: 1856-1877.

Suzuki W, Zola-Morgan S, Squire LR, Amaral DG (1993) Lesions of the perirhinal and parahippocampal cortices in the monkey produce long-lasting memory impairments in the visual and tactual modalities. *J Neurosci* (LOOK UP)

Swanson LW, Cowan WM (1977) An autoradiographic study of the organization of the efferent connections of the hippocampal formation in the rat. *J Comp Neurol* 172: 49-84.

Swanson LW, Wyss JM, Cowan WM (1978) An autoradiographic study of the organization of intrahippocampal association pathways in the rat. *J Comp Neurol* 181: 681-716.

Talairach J, Tournoux P (1988) *Co-planar Stereotaxic Atlas of the Human Brain*. Stuttgart: Thieme.

Thierry A-M, Giovanni Y, Degenetais E, Glowinsky J (2000) Hippocampal-prefrontal cortex pathways: anatomical and electrophysiological characteristics. *Hippocampus* 10: 411-419.

Thompson RF, Krupa DJ (1994) Organization of memory traces in the mammalian brain. *Annu Rev Neurosci* 17: 519-549.

Tulving E (1972) Episodic and semantic memory. In: Organisation of memory. (Tulving E, Donaldson W, eds), pp381-403. London: Academic press.

Tulving E, Schacter DL (1990) Priming and human memory systems. *Science* 247: 301-306.

Tulving E, Kroll N (1995) Novelty assessment in the brain and long-term memory encoding. *Psychonomic Bull Rev* 2: 387-390.

Tulving E, Hayman CAG, MacDonald CA (1991) Long-lasting perceptual priming and semantic learning in amnesia: a case experiment. *J Exp Psychol: Learn Mem Cogn* 17: 595-617.

Tulving E, Kapur S, Craik FIM, Moscovitch M, Houle S (1994) Hemispheric encoding/retrieval asymmetry in episodic memory: positron emission tomography findings. *Proc Natl Acad Sci USA* 91: 2016-2020.

Tulving E, Markowitsch MJ, Craik FIM, Habib R, Houle S (1996) Novelty and familiarity activations in PET studies of memory encoding and retrieval. *Cereb Cortex* 6: 71-79.

Turner R, Le Bihan D, Moonen CT, Despres D, Frank J (1991) Echo-planar time course MRI of cat brain deoxygenation changes. *Magn Res Med* 22: 159-166.

Van Essen DC, Maunsell JHR (1983) Hierarchical organisation and functional streams in the visual cortex. *Trends Neurosci* 6: 370-374.

van Groen T, Wyss JM (1990) Extrinsic projections from area CA1 of the rat hippocampus: olfactory, cortical, subcortical, and bilateral hippocampal formation projections. *J Comp Neurol* 302: 515-528.

van Groen T, van Haren FJ, Witter MP, Groenwegen HJ (1986) The organization of the reciprocal connections between the subiculum and the entorhinal cortex in the cat: I. A neuroanatomical tracing study. *J Comp Neurol* 250: 485-497.

Van Hoesen GW (1982) The parahippocampal gyrus. New observations regarding its cortical connections in the monkey. *Trends Neurosci* 5: 345-350.

Van Hoesen GW, Pandya DN (1975) Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey. III. Efferent connections. *Brain Res* 95: 25-38.

Van Hoesen GW, Pandya DN, Butters N (1972) Cortical afferents to the entorhinal cortex of the rhesus monkey. *Science* 175: 1471-1473.

Vandenberghe R, Price C, Wise R, Josephs O, Frackowiak, RSJ (1996) Functional anatomy of a common semantic system for words and pictures. *Nature* 383: 254-256.

Vanzetta I, Grinvald A (1999) Increased cortical oxidative metabolism due to sensory stimulation: implications for functional brain imaging. *Science* 286:1555-1558.

Vargha-Khadem F, Gadian DG, Watkins KE, Connelly A, Paesschen WV, Mishkin M (1997) Differential effects of early hippocampal pathology on episodic and semantic memory. *Science* 277: 376-380.

Verney C, Baulac M, Berger B, Alvarez C, Vigny A, Helle KB (1985) Morphological evidence for dopaminergic terminal field in the hippocampus of young and adult rat. *Neuroscience* 14: 1039-1052.

Victor M, Adams RD, Collins GH (1971) *The Wernicke-Korsakoff Syndrome. A clinical and pathological study of 245 patients, 82 with post-mortem examination.* Oxford: Blackwell.

Villringer A, Dirnagl U (1995) Coupling of brain activity and cerebral blood flow: basis of functional neuroimaging. *Cerebrovasc Brain Metab Rev* 7: 240-276.

Vinogradova OS (1975) Functional organization of the limbic system in the process of registration of information: facts and hypotheses. In: *The Hippocampus, vol 2* (Isaacson RL, Pribram KH, eds), pp 3-69. New York: Plenum Press.

von Bonin G, Bailey P (1947) *The neocortex of Macaca mulatta.* Urbana: University of Illinois Press.

von Restorff H (1933) Über die Wirkung von Bereichsbildungen im Spurenfeld [On the effect of spheres formation in the trace field]. *Psychol Forsch* 18: 299-342.

Wagner AD, Schacter DL, Rotte M, Koutstaal W, Maril A, Dale AM, Rosen BR, Buckner RL (1998) Building memories: Remembering and forgetting of verbal experiences as predicted by brain activity. *Science* 281: 1188-1191.

Wainer BH, Levey AI, Rye DB, Mesulam MM, Mufson EJ (1985) Cholinergic and non-cholinergic septohippocampal pathways. *Neurosci Lett* 54: 45-52.

Wallenstein GV, Eichenbaum H, Hasselmo ME (1998) The hippocampus as an associator of discontinuous events. *Trends Neurosci* 21: 317-323.

Wan H, Aggleton JP, Brown MW (1999) Differential contributions of the hippocampus and perirhinal cortex to recognition memory. *J Neurosci* 19: 1142-1148.

Warrington EK (1984) *The recognition memory test*. NFER – Nelson.

Warrington E, Weiskrantz L (1968) New method of testing long-term retention with special reference to amnesic patients. *Nature* 217: 972-974.

Warrington E, Weiskrantz L (1970) Amnesic syndrome: consolidation or retrieval? *Nature* 226: 628-630.

Warrington E, Weiskrantz L (1974) The effects of prior learning on subsequent retention in amnesic patients. *Neuropsychologia* 12: 419-428.

Warrington E, Weiskrantz L (1978) Further analysis of the prior learning effect in amnesic patients. *Neuropsychologia* 16: 169–177.

Warrington E, Duchon LW (1992) A re-appraisal of a case of persistent global amnesia following right temporal lobectomy: a clinico-pathological study. *Neuropsychologia* 30: 437-450.

Weiskrantz L, Warrington E (1979) Conditioning in amnesic patients. *Neuropsychologia* 17: 187-194.

Wernicke C (1974 [1874]) *Der aphasische Symptomenkomplex. Eine psychologische Studie auf anatomischer Basis.* Breslau. Reprint Berlin: Springer-Verlag.

Whishaw IQ, Tomie J-A (1997) Perseveration on place reversals in spatial swimming pool tasks: further evidence for place learning in hippocampal rats. *Hippocampus* 7: 361–370.

White IM, Wise SP (1999) Rule-dependent neuronal activity in the prefrontal cortex. *Exp Brain Res* 126: 315-335.

Wiebe SP, Saubli UV (1999) Dynamic filtering of recognition memory codes in the hippocampus. *J Neurosci* 19: 10562-10574.

Williamson S, Harpur TJ, Hare RD (1991) Abnormal processing of affective words by psychopaths. *Psychophysiology* 28: 260-273.

Wilz KJ, Bolton, RL (1971) Exploratory behaviour in response to the spatial rearrangement of familiar stimuli. *Psychon Sci* 24: 117-118.

Winocur G, Weiskrantz L (1976) An investigation of paired associate learning in amnesic patients. *Neuropsychologia* 14: 97-110.

Winocur G, Kinsbourne M (1978) Contextual cueing as an aid to Korsakoff amnesics. *Neuropsychologia* 16: 6741-6782.

Witter MP, Groenewegen HJ (1984) Laminar origin and septotemporal distribution of entorhinal and perirhinal projections to the hippocampus in the cat. *J Comp Neurol* 224: 371-385.

Witter MP, Van Hoesen GW, Amaral DG (1989a) Topographical organization of the entorhinal projection to the dentate gyrus of the monkey. *J Neurosci* 9: 216-228.

Witter MP, Groenewegen HJ, Lopes da Silva FH, Lohman AHM (1989b) Functional organisation of the extrinsic and intrinsic circuitry of the parahippocampal region. *Prog Neurobiol* 33: 161-253.

Wood ER, Dudchenko PA, Eichenbaum H (1999) The global record of memory in hippocampal neuronal activity. *Nature* 397: 613-616.

Worsley KJ (1994) Local maxima and the expected Euler characteristic of excursion sets of chi-square, F and t fields. *Advances Appl Probab* 26: 13-42.

Worsley KJ, Friston KJ (1995) Analysis of fMRI time series revisited – again. *NeuroImage* 2: 173-181.

Worsley KJ, Marrett P, Neelin AC, Friston KJ, Evans AC (1996) A unified statistical approach for determining significant signals in images of cerebral activation. *Hum Brain Mapp* 4: 58 - 73.

Xiang J-Z, Brown MW (1998) Differential neuronal encoding of novelty, familiarity and recency in regions of the anterior temporal lobe. *Neuropharmacology* 37: 657-676.

Yamaguchi S, Knight RT (1991) Anterior and posterior association cortex contributions to the somatosensory P300. *J Neurosci* 11: 2039-2054.

Young BJ, Otto T, Fox GD, Eichenbaum H (1997) Memory representation within the parahippocampal region. *J Neurosci* 17: 5183-5195.

Yukie M (2000) Connections between the medial temporal cortex and the CA1 subfield of the hippocampal formation in the Japanese monkey (*Macaca fuscata*). *J Comp Neurol* 423: 282-298.

Zeki S, Marini L (1998) Three cortical stages of colour processing in the human brain. *Brain* 121: 1669-1685.

Zola-Morgan S, Squire LR (1984) Preserved learning in monkeys with medial temporal lesions: sparing of cognitive skills. *J Neurosci* 4: 1072-1085.

Zola-Morgan S, Squire LR (1990) The primate hippocampal formation: evidence for a time-limited role in memory storage. *Science* 250: 288-290.

Zola-Morgan S, Squire LR (1993) Neuroanatomy of memory. *Annu Rev Neurosci* 16: 547-563.

Zola-Morgan S, Squire LR, Amaral DG (1986) Human amnesia and the medial temporal region: enduring memory impairment following a bilateral lesion limited to field CA1 of the hippocampus. *J Neurosci* 6: 2950 -2967.

Zola-Morgan S, Squire LR, Amaral DG (1989a) Lesions of the amygdala that spare adjacent cortical regions do not impair memory or exacerbate the impairment following lesions of the hippocampal formation. *J Neurosci* 9: 1922-1936.

Zola-Morgan S, Squire LR, Amaral DG, Suzuki W (1989b) Lesions of perirhinal and parahippocampal cortex that spare the amygdala and hippocampal formation produce severe memory impairment. *J Neurosci* 9: 4355-4370.

Zola-Morgan S, Squire LR, Clower RP, Rempel NL (1993) Damage to the perirhinal cortex but not the amygdala exacerbates memory impairment following lesions to the hippocampal formation. *J Neurosci* 13: 251-265.